

Přirážky za legury

LEDEN 2014 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		1	1	1
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		1	1	1
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		0	0	0
1.0460	P250GH/C22.8		0	0	0
1.0501	C35E		1	1	1
1.0546	S355NL	1	1	1	1
1.0553	S355J0	1	1	1	1
1.0566	T STE 355		1	1	1
1.0569	QSt52-3		1	1	1
1.0577	S355J2		1	1	1
1.0715	11SMN30		1	1	1
1.0726	35S20		1	1	1
1.0727	46S20		1	1	1
1.0762	44SMn28		1	1	1
1.1141	C15E		0	0	0
1.1157	EA1K	1	1	1	1
1.1173	30Mn5		1	1	1
1.1180	C35 RCR	0	1	1	1
1.1191	C45E	0	1	1	1
1.1191	ER7CAFMOD1	0	1	1	1
1.1191	ER73CAF	0	1	1	1
1.1191	R73	0	1	1	1
1.1191	R73CAF	0	1	1	1
1.1191	R6	0			
1.1191	R7	0			
1.1193	Cf45		1	1	1
1.1203	ER8CAF	1			
1.1203	C55		1	1	1
1.1203	R8	1			
1.1206	ER7CAF	0	1	1	1
1.1213	CF53/CF53X10		3	3	4
1.1213	CF53X20		3	3	4
1.1221	C60E		1	1	1
1.1221	CLASS B	0	1	1	1
1.1231	CR-CAF	1	1	1	1
1.1302	30MnVS6		7	7	9
1.1303	38MnVS6		7	7	9

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.2208	31CrV2 (31CrV3)		24	25	31
1.3505	100Cr6		24	25	31
1.3520	100CrMnSi6-4		32	33	41
1.3531	16CrNiMo6		166	172	214
1.3537	100CrMo7		43	45	55
1.5023	38Si7		17	18	22
1.5122	37MnSi5		14	15	18
1.5217	20MnV6		8	8	10
1.5231	38MnSiV5S5		12	12	15
1.5232	27MnSiV5S6		12	12	15
1.5415	16Mo3 (15Mo3)		27	28	35
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		4	4	5
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		260	270	335
1.5918	17CrNi6		139	144	179
1.5920	18CrNi8		174	180	224
1.6522	20NiCrMo2		67	69	86
1.6540	23MnNiCrMo53		91	94	117
1.6541	23MnNiCrMo52		72	75	93
1.6566	17CrNiMo6		167	173	215
1.6580	30CrNiMo8		214	222	276
1.6582	34CrNiMo6	137	154	160	199
1.6587	18CrNiMo7-6	148	167	173	215
1.6758	23MnNiMoCr54		133	138	172
1.7015	15Cr3		7	7	9
1.7016	17Cr3		11	11	14
1.7027	20Cr4		13	13	17
1.7033	34Cr4(S4)		13	13	17
1.7035	41Cr4(S4)		13	13	17
1.7076	32CrB4		13	13	17
1.7077	36CrB4		13	13	17
1.7102	54SiCr6		23	24	30
1.7131	16MnCr5(S5)		12	12	15
1.7147	20MnCr5(S5)		15	16	19
1.7160	16MnCrB5		12	12	15
1.7176	55Cr3		11	11	14
1.7182	27MnCrB5/35KBW		6	6	8
1.7185	33MnCrB5		7	7	9
1.7218	25CrMoS4		34	35	44
1.7220	34CrMoS4		34	35	44
1.7225	42CrMo4	30	34	35	44
1.7227	42CrMoS4	30	34	35	44
1.7228	50CrMo4		34	35	44

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.7321	20MoCr4		46	48	59
1.7325	25MoCr4		47	49	61
1.7335	13CrMo4-5		56	58	72
1.7380	10CrMo9-10		117	121	151
1.7701	52CrMoV4		40	41	52
1.7707	30CrMoV9		87	90	112
1.8153	60SiCrV7		29	30	37
1.8159	51CrV4, 50CrV4		21	22	27
1.8161	58CrV4		20	21	26
1.8519	31CrMoV9		55	57	71
	18NiCrMo5		138	143	178
	21NiCrMo5		138	143	178
	40NiCrMo7		182	189	235
	39NiCrMo3		104	108	134
	20CrNi4		98	102	126
	16NiCrS4		98	102	126
	EN 355		203	211	262
	TL 1356		1	1	1
	TL 1427		7	7	9
	TL 1438		7	7	9
	TL 4221		13	13	17
	TL 4227		14	15	18
	TL 4521		169	175	218
	TL 4521MOD		221	229	285
	V2905		4	4	5
	V2906		4	4	5
	ZF1		139	144	179
	ZF1A		167	173	215
	ZF6		12	12	15
	ZF50	0	1	1	1
	ZF59		12	12	15
	ZF7		15	16	19
	ZF7B		15	16	19
	4130 Mod		58	60	75
	4140		34	35	44
	C15F+Svk		11	11	14
	30Cr2V		120	124	155
	38Cr2V		100	104	129
	817M40-TZM		148	153	191
	605M36		25	26	32
	60SiCr8		22	23	28
	709M40		64	66	83
	C50E26C		5	5	6
	C50E83C		23	24	30

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	4319		173	179	223
	8219		56	58	72
	8319		64	66	83
	S53CG-LS		21	22	27
	50S2		17	18	22
	WSTE 355+CE	1	1	1	1
	42CrMo4 Mod	64			
	42CrMo4-NIC	64			
	E.R9.3	1			
	E.R8.3	1			
	BR	1			
	CLASS C	0			
	MK-J2		36	37	46
	CQ35		1	1	1

Přirážky za legury

ÚNOR 2014 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		1	1	1
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		1	1	1
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		1	1	1
1.0460	P250GH/C22.8		1	1	1
1.0501	C35E		1	1	1
1.0546	S355NL	1	1	1	1
1.0553	S355J0	1	1	1	1
1.0566	T STE 355		1	1	1
1.0569	QSt52-3		1	1	1
1.0577	S355J2		1	1	1
1.0715	11SMN30		1	1	1
1.0726	35S20		1	1	1
1.0727	46S20		1	1	1
1.0762	44SMn28		1	1	1
1.1141	C15E		0	0	0
1.1157	EA1K	1	1	1	1
1.1173	30Mn5		1	1	1
1.1180	C35 RCR	1	1	1	1
1.1191	C45E	1	1	1	1
1.1191	ER7CAFMOD1	1	1	1	1
1.1191	ER73CAF	1	1	1	1
1.1191	R73	1	1	1	1
1.1191	R73CAF	1	1	1	1
1.1191	R6	1			
1.1191	R7	1			
1.1193	Cf45		1	1	1
1.1203	ER8CAF	1			
1.1203	C55		1	1	1
1.1203	R8	1			
1.1206	ER7CAF	1	1	1	1
1.1213	CF53/CF53X10		3	3	4
1.1213	CF53X20		3	3	4
1.1221	C60E		1	1	1
1.1221	CLASS B	1	1	1	1
1.1231	CR-CAF	1	1	1	1
1.1302	30MnVS6		7	7	9
1.1303	38MnVS6		7	7	9

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.2208	31CrV2 (31CrV3)		24	25	31
1.3505	100Cr6		25	26	32
1.3520	100CrMnSi6-4		33	34	43
1.3531	16CrNiMo6		166	172	214
1.3537	100CrMo7		44	46	57
1.5023	38Si7		18	19	23
1.5122	37MnSi5		14	15	18
1.5217	20MnV6		8	8	10
1.5231	38MnSiV5		13	13	17
1.5232	27MnSiV6		13	13	17
1.5415	16Mo3 (15Mo3)		28	29	36
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		4	4	5
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		256	265	330
1.5918	17CrNi6		137	142	177
1.5920	18CrNi8		172	178	222
1.6522	20NiCrMo2		67	69	86
1.6540	23MnNiCrMo53		91	94	117
1.6541	23MnNiCrMo52		72	75	93
1.6566	17NiCrMo6-4		133	138	172
1.6580	30CrNiMo8		214	222	276
1.6582	34CrNiMo6	137	153	159	197
1.6587	18CrNiMo7-6	148	166	172	214
1.6758	23MnNiMoCr54		133	138	172
1.7015	15Cr3		7	7	9
1.7016	17Cr3		11	11	14
1.7027	20Cr4		14	15	18
1.7033	34Cr4(S4)		14	15	18
1.7035	41Cr4(S4)		14	15	18
1.7076	32CrB4		14	15	18
1.7077	36CrB4		14	15	18
1.7102	54SiCr6		23	24	30
1.7131	16MnCr5(S5)		13	13	17
1.7147	20MnCr5(S5)		15	16	19
1.7160	16MnCrB5		13	13	17
1.7176	55Cr3		11	11	14
1.7182	27MnCrB5/35KBW		7	7	9
1.7185	33MnCrB5		7	7	9
1.7218	25CrMoS4		35	36	45
1.7220	34CrMoS4		35	36	45
1.7225	42CrMo4	31	35	36	45
1.7227	42CrMoS4	31	35	36	45
1.7228	50CrMo4		35	36	45

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	20MoCr4		48	50	62
1.7325	25MoCr4		48	50	62
1.7335	13CrMo4-5		58	60	75
1.7380	10CrMo9-10		120	124	155
1.7701	52CrMoV4		41	43	53
1.7707	30CrMoV9		88	91	114
1.8153	60SiCrV7		29	30	37
1.8159	51CrV4, 50CrV4		22	23	28
1.8161	58CrV4		20	21	26
1.8519	31CrMoV9		56	58	72
	18NiCrMo5		139	144	179
	21NiCrMo5		139	144	179
	40NiCrMo7		183	190	236
	39NiCrMo3		105	109	135
	20CrNi4		98	102	126
	16NiCrS4		98	102	126
	EN 355		204	212	263
	TL 1356		1	1	1
	TL 1427		7	7	9
	TL 1438		7	7	9
	TL 4221		14	15	18
	TL 4227		14	15	18
	TL 4521		168	174	217
	TL 4521MOD		220	228	284
	V2905		4	4	5
	V2906		4	4	5
	ZF1		137	142	177
	ZF1A		166	172	214
	ZF6		13	13	17
	ZF50	1	1	1	1
	ZF59		13	13	17
	ZF7		15	16	19
	ZF7B		15	16	19
	4130 Mod		59	61	76
	4140		35	36	45
	C15F+Svk		11	11	14
	30Cr2V		120	124	155
	38Cr2V		100	104	129
	817M40-TZM		149	155	192
	605M36		26	27	34
	60SiCr8		22	23	28
	709M40		63	65	81
	C50E26C		5	5	6
	C50E83C		23	24	30

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupáná a tažená ocel
	4319		174	180	224
	8219		57	59	74
	8319		65	67	84
	S53CG-LS		21	22	27
	50S2		18	19	23
	WSTE 355+CE	1	1	1	1
	42CrMo4 Mod	64			
	42CrMo4-NIC	64			
	E.R9.3	1			
	E.R8.3	1			
	BR	1			
	CLASS C	1			
	MK-J2		37	38	48
	CQ35		1	1	1

Přirážky za legury

BŘEZEN 2014 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		1	1	1
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		1	1	1
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		1	1	1
1.0460	P250GH/C22.8		1	1	1
1.0501	C35E		1	1	1
1.0546	S355NL	1	1	1	1
1.0553	S355J0	1	1	1	1
1.0566	T STE 355		2	2	3
1.0569	QSt52-3		1	1	1
1.0577	S355J2		1	1	1
1.0715	11SMN30		1	1	1
1.0726	35S20		1	1	1
1.0727	46S20		1	1	1
1.0762	44SMn28		2	2	3
1.1141	C15E		0	0	0
1.1157	EA1K	1	1	1	1
1.1173	30Mn5		1	1	1
1.1180	C35 RCR	1	1	1	1
1.1191	C45E	1	1	1	1
1.1191	ER7CAFMOD1	1	1	1	1
1.1191	ER73CAF	1	1	1	1
1.1191	R73	1	1	1	1
1.1191	R73CAF	1	1	1	1
1.1191	R6	1			
1.1191	R7	1			
1.1193	Cf45		1	1	1
1.1203	ER8CAF	2			
1.1203	C55		2	2	1
1.1203	R8	2			
1.1206	ER7CAF	1	1	1	1
1.1213	CF53/CF53X10		3	3	4
1.1213	CF53X20		3	3	4
1.1221	C60E		1	1	1
1.1221	CLASS B	1	1	1	1
1.1231	CR-CAF	1	1	1	1
1.1302	30MnVS6		8	8	10
1.1303	38MnVS6		8	8	10

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.2208	31CrV2 (31CrV3)		24	25	31
1.3505	100Cr6		26	27	34
1.3520	100CrMnSi6-4		34	35	44
1.3531	16CrNiMo6		169	175	218
1.3537	100CrMo7		45	47	58
1.5023	38Si7		18	19	23
1.5122	37MnSi5		15	16	19
1.5217	20MnV6		9	9	12
1.5231	38MnSiV5S5		13	13	17
1.5232	27MnSiV5S6		13	13	17
1.5415	16Mo3 (15Mo3)		28	29	36
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		4	4	5
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		260	270	335
1.5918	17CrNi6		140	145	181
1.5920	18CrNi8		176	183	227
1.6522	20NiCrMo2		68	71	88
1.6540	23MnNiCrMo53		92	95	119
1.6541	23MnNiCrMo52		73	76	94
1.6566	17NiCrMo6-4		135	140	174
1.6580	30CrNiMo8		217	225	280
1.6582	34CrNiMo6	139	156	162	201
1.6587	18CrNiMo7-6	150	169	175	218
1.6758	23MnNiMoCr54		135	140	174
1.7015	15Cr3		8	8	10
1.7016	17Cr3		12	12	15
1.7027	20Cr4		14	15	18
1.7033	34Cr4(S4)		14	15	18
1.7035	41Cr4(S4)		14	15	18
1.7076	32CrB4		14	15	18
1.7077	36CrB4		14	15	18
1.7102	54SiCr6		24	25	31
1.7131	16MnCr5(S5)		13	13	17
1.7147	20MnCr5(S5)		16	17	21
1.7160	16MnCrB5		13	13	17
1.7176	55Cr3		12	12	15
1.7182	27MnCrB5/35KBW		7	7	9
1.7185	33MnCrB5		7	7	9
1.7218	25CrMoS4		35	36	45
1.7220	34CrMoS4		35	36	45
1.7225	42CrMo4	32	35	36	45
1.7227	42CrMoS4	32	35	36	45
1.7228	50CrMo4		35	36	45

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.7321	20MoCr4		48	50	62
1.7325	25MoCr4		48	50	62
1.7335	13CrMo4-5		59	61	76
1.7380	10CrMo9-10		122	127	157
1.7701	52CrMoV4		43	45	55
1.7707	30CrMoV9		90	93	116
1.8153	60SiCrV7		30	31	39
1.8159	51CrV4, 50CrV4		23	24	30
1.8161	58CrV4		21	22	27
1.8519	31CrMoV9		58	60	75
	18NiCrMo5		140	145	181
	21NiCrMo5		140	145	181
	40NiCrMo7		184	191	237
	39NiCrMo3		106	110	137
	20CrNi4		99	103	128
	16NiCrS4		99	103	128
	EN 355		205	213	264
	TL 1356		1	1	1
	TL 1427		8	8	10
	TL 1438		8	8	10
	TL 4221		14	15	18
	TL 4227		15	16	19
	TL 4521		171	177	221
	TL 4521MOD		223	231	288
	V2905		5	5	6
	V2906		5	5	6
	ZF1		140	145	181
	ZF1A		169	175	218
	ZF6		13	13	17
	ZF50	1	1	1	1
	ZF59		13	13	17
	ZF7		16	17	21
	ZF7B		16	17	21
	4130 Mod		60	62	77
	4140		35	36	45
	C15F+Svk		11	11	14
	30Cr2V		120	124	155
	38Cr2V		100	104	129
	817M40-TZM		150	156	194
	605M36		27	28	35
	60SiCr8		23	24	30
	709M40		64	66	83
	C50E26C		5	5	6
	C50E83C		23	24	30

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupáná a tažená ocel
	4319		175	181	226
	8219		57	59	74
	8319		66	68	85
	S53CG-LS		21	22	27
	50S2		18	19	23
	WSTE 355+CE	1	1	1	1
	42CrMo4 Mod	65			
	42CrMo4-NIC	65			
	E.R9.3	1			
	E.R8.3	1			
	BR	1			
	CLASS C	1			
	MK-J2		38	39	49
	CQ35		1	1	1

Přirážky za legury

DUBEN 2014 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		1	1	1
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		2	2	3
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		1	1	1
1.0460	P250GH/C22.8		1	1	1
1.0501	C35E		1	1	1
1.0546	S355NL	2	2	2	3
1.0553	S355J0	1	2	2	3
1.0566	T STE 355		2	2	3
1.0569	QSt52-3		2	2	3
1.0577	S355J2		2	2	3
1.0715	11SMN30		1	1	1
1.0726	35S20		1	1	1
1.0727	46S20		1	1	1
1.0762	44SMn28		2	2	3
1.1141	C15E		1	1	1
1.1157	EA1K	1	1	1	1
1.1173	30Mn5		2	2	3
1.1180	C35 RCR	1	1	1	1
1.1191	C45E	1	1	1	1
1.1191	ER7CAFMOD1	1	1	1	1
1.1191	ER73CAF	1	1	1	1
1.1191	R73	1	1	1	1
1.1191	R73CAF	1	1	1	1
1.1191	R6	1			
1.1191	R7	1			
1.1193	Cf45		1	1	1
1.1203	ER8CAF	2			
1.1203	C55		1	1	1
1.1203	R8	2			
1.1206	ER7CAF	1	1	1	1
1.1213	CF53/CF53X10		3	3	4
1.1213	CF53X20		3	3	4
1.1221	C60E		1	1	1
1.1221	CLASS B	1	1	1	1
1.1231	CR-CAF	1	1	1	1
1.1302	30MnVS6		8	8	10
1.1303	38MnVS6		8	8	10

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.2208	31CrV2 (31CrV3)		24	25	31
1.3505	100Cr6		26	27	34
1.3520	100CrMnSi6-4		34	35	44
1.3531	16CrNiMo6		172	178	222
1.3537	100CrMo7		46	48	59
1.5023	38Si7		18	19	23
1.5122	37MnSi5		15	16	19
1.5217	20MnV6		9	9	12
1.5231	38MnSiV5S5		14	15	18
1.5232	27MnSiV5S6		14	15	18
1.5415	16Mo3 (15Mo3)		29	30	37
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		4	4	5
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		265	275	342
1.5918	17CrNi6		143	148	184
1.5920	18CrNi8		179	186	231
1.6522	20NiCrMo2		69	72	89
1.6540	23MnNiCrMo53		94	97	121
1.6541	23MnNiCrMo52		75	78	97
1.6566	17NiCrMo6-4		146	151	188
1.6580	30CrNiMo8		221	229	285
1.6582	34CrNiMo6	142	159	165	205
1.6587	18CrNiMo7-6	153	172	178	222
1.6758	23MnNiMoCr54		138	143	178
1.7015	15Cr3		8	8	10
1.7016	17Cr3		12	12	15
1.7027	20Cr4		15	16	19
1.7033	34Cr4(S4)		15	16	19
1.7035	41Cr4(S4)		15	16	19
1.7076	32CrB4		15	16	19
1.7077	36CrB4		15	16	19
1.7102	54SiCr6		24	25	31
1.7131	16MnCr5(S5)		14	15	18
1.7147	20MnCr5(S5)		17	18	22
1.7160	16MnCrB5		14	15	18
1.7176	55Cr3		12	12	15
1.7182	27MnCrB5/35KBW		8	8	10
1.7185	33MnCrB5		8	8	10
1.7218	25CrMoS4		36	37	46
1.7220	34CrMoS4		36	37	46
1.7225	42CrMo4	32	36	37	46
1.7227	42CrMoS4	32	36	37	46
1.7228	50CrMo4		36	37	46

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.7321	20MoCr4		49	51	63
1.7325	25MoCr4		50	52	65
1.7335	13CrMo4-5		60	62	77
1.7380	10CrMo9-10		124	129	160
1.7701	52CrMoV4		43	45	55
1.7707	30CrMoV9		92	95	119
1.8153	60SiCrV7		31	32	40
1.8159	51CrV4, 50CrV4		23	24	30
1.8161	58CrV4		22	23	28
1.8519	31CrMoV9		59	61	76
	18NiCrMo5		146	151	188
	21NiCrMo5		146	151	188
	40NiCrMo7		191	198	246
	39NiCrMo3		110	114	142
	20CrNi4		103	107	133
	16NiCrS4		103	107	133
	EN 355		213	221	275
	TL 1356		1	1	1
	TL 1427		8	8	10
	TL 1438		8	8	10
	TL 4221		15	16	19
	TL 4227		15	16	19
	TL 4521		174	180	224
	TL 4521MOD		226	234	292
	V2905		5	5	6
	V2906		5	5	6
	ZF1		143	148	184
	ZF1A		172	178	222
	ZF6		14	15	18
	ZF50	1	1	1	1
	ZF59		14	15	18
	ZF7		17	18	22
	ZF7B		17	18	22
	4130 Mod		62	64	80
	4140		36	37	46
	C15F+Svk		11	11	14
	30Cr2V		120	124	155
	38Cr2V		100	104	129
	817M40-TZM		156	162	201
	605M36		27	28	35
	60SiCr8		23	24	30
	709M40		63	65	81
	C50E26C		5	5	6
	C50E83C		24	25	31

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	4319		182	189	235
	8219		59	61	76
	8319		68	71	88
	S53CG-LS		13	13	17
	50S2		18	19	23
	WSTE 355+CE	2	2	2	3
	42CrMo4 Mod	66			
	42CrMo4-NIC	66			
	E.R9.3	2			
	E.R8.3	2			
	BR	1			
	CLASS C	1			
	MK-J2		39	40	50
	CQ35		1	1	1

Přirážky za legury

KVĚTEN 2014 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		1	1	1
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		2	2	3
1.0213	C8C/QSt34-3		1	1	1
1.0303	C4C/QST32-3, C9D		1	1	1
1.0402	C22		1	1	1
1.0460	P250GH/C22.8		1	1	1
1.0501	C35E		1	1	1
1.0546	S355NL	2	2	2	3
1.0553	S355J0	1	2	2	3
1.0566	T STE 355		2	2	3
1.0569	QSt52-3		2	2	3
1.0577	S355J2	2	2	2	3
1.0715	11SMN30		2	2	3
1.0726	35S20		1	1	1
1.0727	46S20		1	1	1
1.0762	44SMn28		2	2	3
1.1141	C15E		1	1	1
1.1157	EA1K	1	1	1	1
1.1173	30Mn5		2	2	3
1.1180	C35 RCR	1	1	1	1
1.1191	C45E	1	1	1	1
1.1191	ER7CAFMOD1	1	1	1	1
1.1191	ER73CAF	1	1	1	1
1.1191	R73	1	1	1	1
1.1191	R73CAF	1	1	1	1
1.1191	R6	1			
1.1191	R7	1			
1.1193	Cf45		1	1	1
1.1203	ER8CAF	2			
1.1203	C55		1	1	1
1.1203	R8	2			
1.1206	ER7CAF	1	1	1	1
1.1213	CF53/CF53X10		3	3	4
1.1213	CF53X20		3	3	4
1.1221	C60E		1	1	1
1.1221	CLASS B	1	1	1	1
1.1231	CR-CAF	1	1	1	1
1.1302	30MnVS6		8	8	10
1.1303	38MnVS6		8	8	10

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.2208	31CrV2 (31CrV3)		24	25	31
1.3505	100Cr6		27	28	35
1.3520	100CrMnSi6-4		35	36	45
1.3531	16CrNiMo6		183	190	236
1.3537	100CrMo7		46	48	59
1.5023	38Si7		19	20	25
1.5122	37MnSi5		15	16	19
1.5217	20MnV6		9	9	12
1.5231	38MnSiV5S5		13	13	17
1.5232	27MnSiV5S6		14	15	18
1.5415	16Mo3 (15Mo3)		29	30	37
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		4	4	5
1.5535	23MnB4		2	2	3
1.5752	15NiCr13 (14NiCr14)		288	299	372
1.5918	17CrNi6		154	160	199
1.5920	18CrNi8		193	200	249
1.6522	20NiCrMo2		73	76	94
1.6540	23MnNiCrMo53		100	104	129
1.6541	23MnNiCrMo52		79	82	102
1.6566	17NiCrMo6-4		157	163	203
1.6580	30CrNiMo8		235	244	303
1.6582	34CrNiMo6	151	170	176	219
1.6587	18CrNiMo7-6	163	183	190	236
1.6758	23MnNiMoCr54		145	150	187
1.7015	15Cr3		8	8	10
1.7016	17Cr3		12	12	15
1.7027	20Cr4		15	16	19
1.7033	34Cr4(S4)		15	16	19
1.7035	41Cr4(S4)		15	16	19
1.7076	32CrB4		15	16	19
1.7077	36CrB4		15	16	19
1.7102	54SiCr6		25	26	32
1.7131	16MnCr5(S5)		14	15	18
1.7147	20MnCr5(S5)		17	18	22
1.7160	16MnCrB5		14	15	18
1.7176	55Cr3		13	13	17
1.7182	27MnCrB5/35KBW		8	8	10
1.7185	33MnCrB5		8	8	10
1.7218	25CrMoS4		37	38	48
1.7220	34CrMoS4		37	38	48
1.7225	42CrMo4	33	37	38	48
1.7227	42CrMoS4	33	37	38	48
1.7228	50CrMo4		36	37	46

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.7321	20MoCr4		49	51	63
1.7325	25MoCr4		50	52	65
1.7335	13CrMo4-5		60	62	77
1.7380	10CrMo9-10		124	129	160
1.7701	52CrMoV4		43	45	55
1.7707	30CrMoV9		95	99	123
1.8153	60SiCrV7		32	33	41
1.8159	51CrV4, 50CrV4		23	24	30
1.8161	58CrV4		22	23	28
1.8519	31CrMoV9		59	61	76
	18NiCrMo5		157	163	203
	21NiCrMo5		157	163	203
	40NiCrMo7		206	214	266
	39NiCrMo3		118	122	152
	20CrNi4		111	115	143
	16NiCrS4		111	115	143
	EN 355		231	240	298
	TL 1356		1	1	1
	TL 1427		8	8	10
	TL 1438		8	8	10
	TL 4221		15	16	19
	TL 4227		16	17	21
	TL 4521		185	192	239
	TL 4521MOD		237	246	306
	V2905		5	5	6
	V2906		5	5	6
	ZF1		154	160	199
	ZF1A		183	190	236
	ZF6		14	15	18
	ZF50	1	1	1	1
	ZF59		13	13	17
	ZF7		17	18	22
	ZF7B		17	18	22
	4130 Mod		66	68	85
	4140		37	38	48
	C15F+Svk		11	11	14
	30Cr2V		120	124	155
	38Cr2V		100	104	129
	817M40-TZM		167	173	215
	605M36		29	30	37
	60SiCr8		24	25	31
	709M40		78	81	101
	C50E26C		6	6	8
	C50E83C		26	27	34

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	4319		197	204	254
	8219		64	66	83
	8319		73	76	94
	S53		14	15	18
	50S2		19	20	25
	WSTE 355+CE	2	2	2	3
	42CrMo4 Mod	70			
	42CrMo4-NIC	70			
	E.R9.3	2			
	E.R8.3	2			
	BR	1			
	CLASS C	1			
	MK-J2		41	43	53
	CQ35		1	1	1

Přirážky za legury

ČERVEN 2014 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		1	1	1
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		2	2	3
1.0213	C8C/QSt34-3		1	1	1
1.0303	C4C/QST32-3, C9D		1	1	1
1.0402	C22		1	1	1
1.0460	P250GH/C22.8		1	1	1
1.0501	C35E		1	1	1
1.0546	S355NL	2	2	2	3
1.0553	S355J0	1	2	2	3
1.0566	T STE 355		2	2	3
1.0569	QSt52-3		2	2	3
1.0577	S355J2	2	2	2	3
1.0580	E355		2	2	3
1.0715	11SMN30		2	2	3
1.0726	35S20		1	1	1
1.0727	46S20		1	1	1
1.0762	44SMn28		2	2	3
1.1141	C15E		1	1	1
1.1157	EA1K	1	1	1	1
1.1173	30Mn5		2	2	3
1.1180	C35 RCR	1	1	1	1
1.1191	C45E	1	1	1	1
1.1191	ER7CAFMOD1	1	1	1	1
1.1191	ER73CAF	1	1	1	1
1.1191	R73	1	1	1	1
1.1191	R73CAF	1	1	1	1
1.1191	R6	1			
1.1191	R7	1			
1.1193	Cf45		1	1	1
1.1203	ER8CAF	2			
1.1203	C55		1	1	1
1.1203	R8	2			
1.1206	ER7CAF	1	1	1	1
1.1213	CF53/CF53X10		3	3	4
1.1213	CF53X20		3	3	4
1.1221	C60E		1	1	1
1.1221	CLASS B	1	1	1	1
1.1231	CR-CAF	1	1	1	1
1.1302	30MnVS6		8	8	10

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1303	38MnVS6		8	8	10
1.2208	31CrV2 (31CrV3)		26	27	34
1.3505	100Cr6		29	30	37
1.3520	100CrMnSi6-4		37	38	48
1.3531	16CrNiMo6		212	220	273
1.3537	100CrMo7		52	54	67
1.5023	38Si7		19	20	25
1.5122	37MnSi5		16	17	21
1.5217	20MnV6		9	9	12
1.5231	38MnSiVS5		14	15	18
1.5232	27MnSiVS6		14	15	18
1.5415	16Mo3 (15Mo3)		36	37	46
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		4	4	5
1.5535	23MnB4		2	2	3
1.5752	15NiCr13 (14NiCr14)		334	346	431
1.5810	18NiCr5-4		150	156	194
1.5918	17CrNi6		176	183	227
1.5920	18CrNi8		221	229	285
1.6522	20NiCrMo2		86	89	111
1.6540	23MnNiCrMo53		117	121	151
1.6541	23MnNiCrMo52		92	95	119
1.6566	17NiCrMo6-4		180	187	232
1.6580	30CrNiMo8		274	284	353
1.6582	34CrNiMo6	175	197	204	254
1.6587	18CrNiMo7-6	189	213	221	275
1.6758	23MnNiMoCr54		172	178	222
1.7015	15Cr3		8	8	10
1.7016	17Cr3		13	13	17
1.7027	20Cr4		15	16	19
1.7033	34Cr4(S4)		15	16	19
1.7035	41Cr4(S4)		15	16	19
1.7076	32CrB4		15	16	19
1.7077	36CrB4		16	17	21
1.7102	54SiCr6		25	26	32
1.7131	16MnCr5(S5)		15	16	19
1.7147	20MnCr5(S5)		18	19	23
1.7160	16MnCrB5		15	16	19
1.7176	55Cr3		13	13	17
1.7182	27MnCrB5/35KBW		8	8	10
1.7185	33MnCrB5		8	8	10
1.7218	25CrMoS4		42	44	54
1.7220	34CrMoS4		42	44	54
1.7225	42CrMo4	37	42	44	54

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.7227	42CrMoS4	37	42	44	54
1.7228	50CrMo4		42	44	54
1.7321	20MoCr4		60	62	77
1.7325	25MoCr4		60	62	77
1.7335	13CrMo4-5		72	75	93
1.7380	10CrMo9-10		148	153	191
1.7701	52CrMoV4		49	51	63
1.7707	30CrMoV9		107	111	138
1.8153	60SiCrV7		32	33	41
1.8159	51CrV4, 50CrV4		24	25	31
1.8161	58CrV4		22	23	28
1.8519	31CrMoV9		65	67	84
	18NiCrMo5		180	187	232
	21NiCrMo5		180	187	232
	40NiCrMo7		237	246	306
	39NiCrMo3		135	140	174
	20CrNi4		125	130	161
	16NiCrS4		125	130	161
	EN 355		263	273	339
	TL 1356		1	1	1
	TL 1427		8	8	10
	TL 1438		8	8	10
	TL 4221		15	16	19
	TL 4227		16	17	21
	TL 4521		218	226	281
	TL 4521MOD		270	280	348
	V2905		5	5	6
	V2906		5	5	6
	ZF1		176	183	227
	ZF1A		213	221	275
	ZF6		15	16	19
	ZF50	1	1	1	1
	ZF59		14	15	18
	ZF60M		1	1	1
	ZF7		18	19	23
	ZF7B		18	19	23
	4130 Mod		75	78	97
	4140		42	44	54
	C15F+Svk		11	11	14
	30Cr2V		125	130	161
	38Cr2V		105	109	135
	817M40-TZM		193	200	249
	605M36		34	35	44
	60SiCr8		24	25	31

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	709M40		100	104	129
	C50E26C		6	6	8
	C50E83C		28	29	36
	4319		227	235	293
	8219		73	76	94
	8319		84	87	108
	S53		14	15	18
	50S2		19	20	25
	WSTE 355+CE	2	2	2	3
	42CrMo4 Mod	82			
	42CrMo4-NIC	82			
	E.R9.3	2			
	E.R8.3	2			
	BR	1			
	CLASS C	1			
	MK-J2		45	47	58
	CQ35		1	1	1

Přirážky za legury

ČERVENEC 2014 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		1	1	1
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		2	2	3
1.0213	C8C/QSt34-3		1	1	1
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		1	1	1
1.0460	P250GH/C22.8		1	1	1
1.0501	C35E		1	1	1
1.0546	S355NL	2	2	2	3
1.0553	S355J0	1	2	2	3
1.0566	T STE 355		2	2	3
1.0569	QSt52-3		2	2	3
1.0577	S355J2	2	2	2	3
1.0580	E355		2	2	3
1.0715	11SMN30		2	2	3
1.0726	35S20		1	1	1
1.0727	46S20		1	1	1
1.0762	44SMn28		2	2	3
1.1141	C15E		1	1	1
1.1157	EA1K	1	1	1	1
1.1173	30Mn5		2	2	3
1.1180	C35 RCR	1	1	1	1
1.1191	C45E	1	1	1	1
1.1191	ER7CAFMOD1	1	1	1	1
1.1191	ER73CAF	1	1	1	1
1.1191	R73	1	1	1	1
1.1191	R73CAF	1	1	1	1
1.1191	R6	1			
1.1191	R7	1			
1.1193	Cf45		1	1	1
1.1203	ER8CAF	2			
1.1203	C55		1	1	1
1.1203	R8	2			
1.1206	ER7CAF	1	1	1	1
1.1213	CF53/CF53X10		3	3	4
1.1213	CF53X20		3	3	4
1.1221	C60E		1	1	1
1.1221	CLASS B	1	1	1	1
1.1231	CR-CAF	1	1	1	1

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1302	30MnVS6		10	10	13
1.1303	38MnVS6		10	10	13
1.2208	31CrV2 (31CrV3)		29	30	37
1.3505	100Cr6		33	34	43
1.3520	100CrMnSi6-4		41	43	53
1.3531	16CrNiMo6		256	265	330
1.3537	100CrMo7		63	65	81
1.5023	38Si7		19	20	25
1.5122	37MnSi5		16	17	21
1.5217	20MnV6		11	11	14
1.5231	38MnSiVS5		15	16	19
1.5232	27MnSiVS6		15	16	19
1.5415	16Mo3 (15Mo3)		49	51	63
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		4	4	5
1.5535	23MnB4		2	2	3
1.5752	15NiCr13 (14NiCr14)		397	412	512
1.5810	18NiCr5-4		176	183	227
1.5918	17CrNi6		207	215	267
1.5920	18CrNi8		259	269	334
1.6522	20NiCrMo2		106	110	137
1.6540	23MnNiCrMo53		144	149	186
1.6541	23MnNiCrMo52		114	118	147
1.6566	17NiCrMo6		203	211	262
1.6580	30CrNiMo8		331	343	427
1.6582	34CrNiMo6	211	236	245	304
1.6587	18CrNiMo7-6	228	256	265	330
1.6758	23MnNiMoCr54		216	224	279
1.7015	15Cr3		8	8	10
1.7016	17Cr3		13	13	17
1.7027	20Cr4		16	17	21
1.7033	34Cr4(S4)		16	17	21
1.7035	41Cr4(S4)		16	17	21
1.7076	32CrB4		16	17	21
1.7077	36CrB4		16	17	21
1.7102	54SiCr6		26	27	34
1.7131	16MnCr5(S5)		15	16	19
1.7147	20MnCr5(S5)		18	19	23
1.7160	16MnCrB5		15	16	19
1.7176	55Cr3		13	13	17
1.7182	27MnCrB5/35KBW		8	8	10
1.7185	33MnCrB5		8	8	10
1.7218	25CrMoS4		53	55	68

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.7220	34CrMoS4		53	55	68
1.7225	42CrMo4	47	53	55	68
1.7227	42CrMoS4	47	53	55	68
1.7228	50CrMo4		53	55	68
1.7321	20MoCr4		80	83	103
1.7325	25MoCr4		81	84	104
1.7335	13CrMo4-5		95	99	123
1.7380	10CrMo9-10		194	201	250
1.7701	52CrMoV4		62	64	80
1.7707	30CrMoV9		126	131	163
1.8153	60SiCrV7		33	34	43
1.8159	51CrV4, 50CrV4		26	27	34
1.8161	58CrV4		24	25	31
1.8519	31CrMoV9		77	80	99
	18NiCrMo5		203	211	262
	21NiCrMo5		203	211	262
	40NiCrMo7		268	278	346
	39NiCrMo3		154	160	199
	20CrNi4		138	143	178
	16NiCrS4		138	143	178
	EN 355		305	316	393
	TL 1356		1	1	1
	TL 1427		10	10	13
	TL 1438		10	10	13
	TL 4221		16	17	21
	TL 4227		17	18	22
	TL 4521		269	279	347
	TL4521MOD		321	333	414
	V2905		6	6	8
	V2906		6	6	8
	ZF1		207	215	267
	ZF1A		256	265	330
	ZF6		15	16	19
	ZF50	1	1	1	1
	ZF59		15	16	19
	ZF60M		1	1	1
	ZF7		18	19	23
	ZF7B		18	19	23
	4130 Mod		86	89	111
	4140		53	55	68
	C15F+Svk		12	12	15
	30Cr2V		130	135	168
	38Cr2V		108	112	139

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	817M40-TZM		224	232	289
	605M36		42	44	54
	60SiCr8		24	25	31
	709M40		100	104	129
	C50E26C		7	7	9
	C50E83C		31	32	40
	4319		266	276	343
	8219		85	88	110
	8319		98	102	126
	S53		14	15	18
	50S2		19	20	25
	WSTE 355+CE	2	2	2	3
	42CrMo4 Mod	102			
	42CrMo4-NIC	102			
	E.R9.3	2			
	E.R8.3	2			
	BR	1			
	CLASS C	1			
	MK-J2		51	53	66
	CQ35		1	1	1

Přirážky za legury

SRPEN 2014 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		1	1	1
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		2	2	3
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		1	1	1
1.0460	P250GH/C22.8		1	1	1
1.0501	C35E		1	1	1
1.0546	S355NL	2	2	2	3
1.0553	S355J0	1	2	2	3
1.0566	T STE 355		2	2	3
1.0569	QSt52-3		2	2	3
1.0577	S355J2	2	2	2	3
1.0580	E355		2	2	3
1.0715	11SMN30		1	1	1
1.0726	35S20		1	1	1
1.0727	46S20		1	1	1
1.0762	44SMn28		2	2	3
1.1141	C15E		1	1	1
1.1157	EA1K	1	1	1	1
1.1173	30Mn5		2	2	3
1.1180	C35 RCR	1	1	1	1
1.1191	C45E	1	1	1	1
1.1191	ER7CAFMOD1	1	1	1	1
1.1191	ER73CAF	1	1	1	1
1.1191	R73	1	1	1	1
1.1191	R73CAF	1	1	1	1
1.1191	R6	1			
1.1191	R7	1			
1.1193	Cf45		1	1	1
1.1203	ER8CAF	2			
1.1203	C55		1	1	1
1.1203	R8	2			
1.1206	ER7CAF	1	1	1	1
1.1213	CF53/CF53X10		3	3	4
1.1213	CF53X20		3	3	4
1.1221	C60E		1	1	1
1.1221	CLASS B	1	1	1	1
1.1231	CR-CAF	1	1	1	1

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1302	30MnVS6		10	10	13
1.1303	38MnVS6		10	10	13
1.2208	31CrV2 (31CrV3)		29	30	37
1.3505	100Cr6		35	36	45
1.3520	100CrMnSi6-4		43	45	55
1.3531	16CrNiMo6		277	287	357
1.3537	100CrMo7		70	73	90
1.5023	38Si7		19	20	25
1.5122	37MnSi5		15	16	19
1.5217	20MnV6		11	11	14
1.5231	38MnSiVS5		15	16	19
1.5232	27MnSiVS6		15	16	19
1.5415	16Mo3 (15Mo3)		58	60	75
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		4	4	5
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		421	437	543
1.5810	18NiCr5-4		186	193	240
1.5918	17CrNi6		219	227	283
1.5920	18CrNi8		274	284	353
1.6522	20NiCrMo2		116	120	150
1.6540	23MnNiCrMo53		157	163	203
1.6541	23MnNiCrMo52		126	131	163
1.6566	17NiCrMo6		217	225	280
1.6580	30CrNiMo8		358	371	462
1.6582	34CrNiMo6	227	254	263	328
1.6587	18CrNiMo7-6	246	277	287	357
1.6758	23MnNiMoCr54		240	249	310
1.7015	15Cr3		9	9	12
1.7016	17Cr3		13	13	17
1.7027	20Cr4		16	17	21
1.7033	34Cr4(S4)		16	17	21
1.7035	41Cr4(S4)		16	17	21
1.7076	32CrB4		16	17	21
1.7077	36CrB4		16	17	21
1.7102	54SiCr6		25	26	32
1.7131	16MnCr5(S5)		15	16	19
1.7147	20MnCr5(S5)		18	19	23
1.7160	16MnCrB5		15	16	19
1.7176	55Cr3		13	13	17
1.7182	27MnCrB5/35KBW		8	8	10
1.7185	33MnCrB5		8	8	10
1.7218	25CrMoS4		60	62	77

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.7220	34CrMoS4		60	62	77
1.7225	42CrMo4	53	60	62	77
1.7227	42CrMoS4	53	60	62	77
1.7228	50CrMo4		60	62	77
1.7321	20MoCr4		93	96	120
1.7325	25MoCr4		94	97	121
1.7335	13CrMo4-5		109	113	141
1.7380	10CrMo9-10		223	231	288
1.7701	52CrMoV4		69	72	89
1.7707	30CrMoV9		136	141	175
1.8153	60SiCrV7		33	34	43
1.8159	51CrV4, 50CrV4		27	28	35
1.8161	58CrV4		25	26	32
1.8519	31CrMoV9		83	86	107
	18NiCrMo5		217	225	280
	21NiCrMo5		217	225	280
	40NiCrMo7		287	298	370
	39NiCrMo3		164	170	212
	20CrNi4		147	152	190
	16NiCrS4		147	152	190
	EN 355		316	328	408
	TL 1356		1	1	1
	TL 1427		10	10	13
	TL 1438		10	10	13
	TL 4221		16	17	21
	TL 4227		17	18	22
	TL 4521		294	305	379
	TL4521MOD		346	359	446
	V2905		6	6	8
	V2906		6	6	8
	ZF1		219	227	283
	ZF1A		277	287	357
	ZF6		15	16	19
	ZF50	1	1	1	1
	ZF59		15	16	19
	ZF60M		1	1	1
	ZF7		18	19	23
	ZF7B		18	19	23
	4130 Mod		90	93	116
	4140		60	62	77
	C15F+Svk		12	12	15
	30Cr2V		130	135	168
	38Cr2V		108	112	139

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	817M40-TZM		233	242	301
	605M36		46	48	59
	60SiCr8		24	25	31
	709M40		89	92	115
	C50E26C		8	8	10
	C50E83C		32	33	41
	4319		277	287	357
	8219		88	91	114
	8319		103	107	133
	S53		14	15	18
	50S2		19	20	25
	WSTE 355+CE	2	2	2	3
	42CrMo4 Mod	112			
	42CrMo4-NIC	112			
	E.R9.3	2			
	E.R8.3	2			
	BR	1			
	CLASS C	1			
	MK-J2		58	60	75
	CQ35		1	1	1
	SAE 1548mod		6	6	8

Přirážky za legury

ZÁŘÍ 2014 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		1	1	1
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		1	1	1
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		1	1	1
1.0460	P250GH/C22.8		1	1	1
1.0501	C35E		1	1	1
1.0546	S355NL	1	2	2	3
1.0553	S355J0	1	1	1	1
1.0566	T STE 355		2	2	3
1.0569	QSt52-3		1	1	1
1.0577	S355J2	1	1	1	1
1.0580	E355		2	2	3
1.0715	11SMN30		1	1	1
1.0726	35S20		1	1	1
1.0727	46S20		1	1	1
1.0762	44SMn28		2	2	3
1.1141	C15E		1	1	1
1.1157	EA1K	1	1	1	1
1.1173	30Mn5		2	2	3
1.1180	C35 RCR	1	1	1	1
1.1191	C45E	1	1	1	1
1.1191	ER7CAFMOD1	1	1	1	1
1.1191	ER73CAF	1	1	1	1
1.1191	R73	1	1	1	1
1.1191	R73CAF	1	1	1	1
1.1191	R6	1			
1.1191	R7	1			
1.1193	Cf45		1	1	1
1.1203	ER8CAF	2			
1.1203	C55		1	1	1
1.1203	R8	2			
1.1206	ER7CAF	1	1	1	1
1.1213	CF53/CF53X10		3	3	4
1.1213	CF53X20		3	3	4
1.1221	C60E		1	1	1
1.1221	CLASS B	1	1	1	1
1.1231	CR-CAF	1	1	1	1

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1302	30MnVS6		8	8	10
1.1303	38MnVS6		8	8	10
1.2208	31CrV2 (31CrV3)		29	30	37
1.3505	100Cr6		34	35	44
1.3520	100CrMnSi6-4		42	44	54
1.3531	16CrNiMo6		274	284	353
1.3537	100CrMo7		68	71	88
1.5023	38Si7		19	20	25
1.5122	37MnSi5		15	16	19
1.5217	20MnV6		9	9	12
1.5231	38MnSiVS5		14	15	18
1.5232	27MnSiVS6		14	15	18
1.5415	16Mo3 (15Mo3)		55	57	71
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		4	4	5
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		421	437	543
1.5810	18NiCr5-4		186	193	240
1.5918	17CrNi6		218	226	281
1.5920	18CrNi8		274	284	353
1.6522	20NiCrMo2		114	118	147
1.6540	23MnNiCrMo53		155	161	200
1.6541	23MnNiCrMo52		123	128	159
1.6566	17NiCrMo6		221	229	285
1.6580	30CrNiMo8		354	367	457
1.6582	34CrNiMo6	225	252	261	325
1.6587	18CrNiMo7-6	244	274	284	353
1.6758	23MnNiMoCr54		234	243	302
1.7015	15Cr3		8	8	10
1.7016	17Cr3		13	13	17
1.7027	20Cr4		16	17	21
1.7033	34Cr4(S4)		16	17	21
1.7035	41Cr4(S4)		16	17	21
1.7076	32CrB4		16	17	21
1.7077	36CrB4		16	17	21
1.7102	54SiCr6		25	26	32
1.7131	16MnCr5(S5)		15	16	19
1.7147	20MnCr5(S5)		18	19	23
1.7160	16MnCrB5		15	16	19
1.7176	55Cr3		13	13	17
1.7182	27MnCrB5/35KBW		8	8	10
1.7185	33MnCrB5		8	8	10
1.7218	25CrMoS4		58	60	75

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.7220	34CrMoS4		58	60	75
1.7225	42CrMo4	51	58	60	75
1.7227	42CrMoS4	51	58	60	75
1.7228	50CrMo4		57	59	74
1.7321	20MoCr4		89	92	115
1.7325	25MoCr4		90	93	116
1.7335	13CrMo4-5		105	109	135
1.7380	10CrMo9-10		214	222	276
1.7701	52CrMoV4		65	67	84
1.7707	30CrMoV9		133	138	172
1.8153	60SiCrV7		32	33	41
1.8159	51CrV4, 50CrV4		25	26	32
1.8161	58CrV4		23	24	30
1.8519	31CrMoV9		80	83	103
	18NiCrMo5		219	227	283
	21NiCrMo5		219	227	283
	40NiCrMo7		289	300	373
	39NiCrMo3		165	171	213
	20CrNi4		148	153	191
	16NiCrS4		148	153	191
	EN 355		321	333	414
	TL 1356		1	1	1
	TL 1427		8	8	10
	TL 1438		8	8	10
	TL 4221		16	17	21
	TL 4227		17	18	22
	TL 4521		290	301	374
	TL4521MOD		342	355	441
	V2905		5	5	6
	V2906		5	5	6
	ZF1		218	226	281
	ZF1A		274	284	353
	ZF6		15	16	19
	ZF50	1	1	1	1
	ZF59		14	15	18
	ZF60M		1	1	1
	ZF7		18	19	23
	ZF7B		18	19	23
	4130 Mod		91	94	117
	4140		58	60	75
	C15F+Svk		12	12	15
	30Cr2V		130	135	168
	38Cr2V		108	112	139

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	817M40-TZM		235	244	303
	605M36		45	47	58
	60SiCr8		25	26	32
	709M40		90	93	116
	C50E26C		8	8	10
	C50E83C		32	33	41
	4319		279	289	360
	8219		89	92	115
	8319		104	108	134
	S53		13	13	17
	50S2		19	20	25
	WSTE 355+CE	1	2	2	3
	42CrMo4 Mod	110			
	42CrMo4-NIC	110			
	E.R9.3	2			
	E.R8.3	2			
	BR	1			
	CLASS C	1			
	MK-J2		53	55	68
	CQ35		1	1	1
	SAE 1548mod		6	6	8

Přirážky za legury

ŘÍJEN 2014 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		1	1	1
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		1	1	1
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		1	1	1
1.0460	P250GH/C22.8		1	1	1
1.0501	C35E		1	1	1
1.0546	S355NL	1	2	2	3
1.0553	S355J0	1	1	1	1
1.0566	T STE 355		2	2	3
1.0569	QSt52-3		1	1	1
1.0577	S355J2	1	1	1	1
1.0580	E355		2	2	3
1.0715	11SMN30		1	1	1
1.0726	35S20		1	1	1
1.0727	46S20		1	1	1
1.0762	44SMn28		2	2	3
1.1141	C15E		1	1	1
1.1157	EA1K	1	1	1	1
1.1173	30Mn5		2	2	3
1.1180	C35 RCR	1	1	1	1
1.1191	C45E	1	1	1	1
1.1191	ER7CAFMOD1	1	1	1	1
1.1191	ER73CAF	1	1	1	1
1.1191	R73	1	1	1	1
1.1191	R73CAF	1	1	1	1
1.1191	R6	1			
1.1191	R7	1			
1.1193	Cf45		1	1	1
1.1203	ER8CAF	2			
1.1203	C55		1	1	1
1.1203	R8	2			
1.1206	ER7CAF	1	1	1	1
1.1213	CF53/CF53X10		3	3	4
1.1213	CF53X20		3	3	4
1.1221	C60E		1	1	1
1.1221	CLASS B	1	1	1	1
1.1231	CR-CAF	1	1	1	1

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1302	30MnVS6		8	8	10
1.1303	38MnVS6		8	8	10
1.2208	31CrV2 (31CrV3)		29	30	37
1.3505	100Cr6		34	35	44
1.3520	100CrMnSi6-4		42	44	54
1.3531	16CrNiMo6		274	284	353
1.3537	100CrMo7		66	68	85
1.5023	38Si7		19	20	25
1.5122	37MnSi5		16	17	21
1.5217	20MnV6		9	9	12
1.5231	38MnSiVS5		14	15	18
1.5232	27MnSiVS6		14	15	18
1.5415	16Mo3 (15Mo3)		51	53	66
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		4	4	5
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		428	444	552
1.5810	18NiCr5-4		189	196	244
1.5918	17CrNi6		222	230	286
1.5920	18CrNi8		279	289	360
1.6522	20NiCrMo2		113	117	146
1.6540	23MnNiCrMo53		154	160	199
1.6541	23MnNiCrMo52		122	127	157
1.6566	17NiCrMo6		220	228	284
1.6580	30CrNiMo8		354	367	457
1.6582	34CrNiMo6	226	253	262	326
1.6587	18CrNiMo7-6	244	274	284	353
1.6758	23MnNiMoCr54		230	239	297
1.7015	15Cr3		9	9	12
1.7016	17Cr3		13	13	17
1.7027	20Cr4		16	17	21
1.7033	34Cr4(S4)		16	17	21
1.7035	41Cr4(S4)		16	17	21
1.7076	32CrB4		16	17	21
1.7077	36CrB4		16	17	21
1.7102	54SiCr6		26	27	34
1.7131	16MnCr5(S5)		15	16	19
1.7147	20MnCr5(S5)		18	19	23
1.7160	16MnCrB5		15	16	19
1.7176	55Cr3		14	15	18
1.7182	27MnCrB5/35KBW		8	8	10
1.7185	33MnCrB5		8	8	10
1.7218	25CrMoS4		55	57	71

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.7220	34CrMoS4		55	57	71
1.7225	42CrMo4	49	55	57	71
1.7227	42CrMoS4	49	55	57	71
1.7228	50CrMo4		55	57	71
1.7321	20MoCr4		84	87	108
1.7325	25MoCr4		84	87	108
1.7335	13CrMo4-5		99	103	128
1.7380	10CrMo9-10		203	211	262
1.7701	52CrMoV4		63	65	81
1.7707	30CrMoV9		132	137	170
1.8153	60SiCrV7		32	33	41
1.8159	51CrV4, 50CrV4		25	26	32
1.8161	58CrV4		24	25	31
1.8519	31CrMoV9		78	81	101
	18NiCrMo5		220	228	284
	21NiCrMo5		220	228	284
	40NiCrMo7		290	301	374
	39NiCrMo3		165	171	213
	20CrNi4		150	156	194
	16NiCrS4		150	156	194
	EN 355		323	335	417
	TL 1356		1	1	1
	TL 1427		8	8	10
	TL 1438		8	8	10
	TL 4221		16	17	21
	TL 4227		17	18	22
	TL 4521		288	299	372
	TL4521MOD		340	353	439
	V2905		5	5	6
	V2906		5	5	6
	ZF1		222	230	286
	ZF1A		274	284	353
	ZF6		15	16	19
	ZF50	1	1	1	1
	ZF59		14	15	18
	ZF60M		1	1	1
	ZF7		18	19	23
	ZF7B		18	19	23
	4130 Mod		90	93	116
	4140		55	57	71
	C15F+Svk		12	12	15
	30Cr2V		130	135	168
	38Cr2V		108	112	139

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	817M40-TZM		235	244	303
	605M36		43	45	55
	60SiCr8		25	26	32
	709M40		94	97	121
	C50E26C		8	8	10
	C50E83C		32	33	41
	4319		279	289	360
	8219		88	91	114
	8319		104	108	134
	S53		13	13	17
	50S2		19	20	25
	WSTE 355+CE	1	2	2	3
	42CrMo4 Mod	108			
	42CrMo4-NIC	108			
	E.R9.3	2			
	E.R8.3	2			
	BR	1			
	CLASS C	1			
	MK-J2		52	54	67
	CQ35		1	1	1
	SAE 1548mod		6	6	8

Přirážky za legury

LISTOPAD 2014 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		1	1	1
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		1	1	1
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		1	1	1
1.0460	P250GH/C22.8		1	1	1
1.0501	C35E		1	1	1
1.0546	S355NL	1	1	1	1
1.0553	S355J0	1	1	1	1
1.0566	T STE 355		2	2	3
1.0569	QSt52-3		1	1	1
1.0577	S355J2	1	1	1	1
1.0580	E355		2	2	3
1.0715	11SMN30		1	1	1
1.0726	35S20		1	1	1
1.0727	46S20		1	1	1
1.0762	44SMn28		2	2	3
1.1141	C15E		0	0	0
1.1157	EA1K	1	1	1	1
1.1173	30Mn5		1	1	1
1.1180	C35 RCR	1	1	1	1
1.1191	C45E	1	1	1	1
1.1191	ER7CAFMOD1	1	1	1	1
1.1191	ER73CAF	1	1	1	1
1.1191	R73	1	1	1	1
1.1191	R73CAF	1	1	1	1
1.1191	R6	1			
1.1191	R7	1			
1.1193	Cf45		1	1	1
1.1201	C45R		1	1	1
1.1203	ER8CAF	2			
1.1203	C55		1	1	1
1.1203	R8	2			
1.1206	ER7CAF	1	1	1	1
1.1213	CF53/CF53X10		3	3	4
1.1213	CF53X20		3	3	4
1.1221	C60E		1	1	1
1.1221	CLASS B	1	1	1	1

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1231	CR-CAF	1	1	1	1
1.1302	30MnVS6		10	10	13
1.1303	38MnVS6		10	10	13
1.2208	31CrV2 (31CrV3)		29	30	37
1.3505	100Cr6		35	36	45
1.3520	100CrMnSi6-4		43	45	55
1.3531	16CrNiMo6		273	283	352
1.3537	100CrMo7		66	68	85
1.5023	38Si7		19	20	25
1.5122	37MnSi5		15	16	19
1.5217	20MnV6		10	10	13
1.5231	38MnSiVS5		15	16	19
1.5232	27MnSiVS6		15	16	19
1.5415	16Mo3 (15Mo3)		50	52	65
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		4	4	5
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		426	442	550
1.5810	18NiCr5-4		189	196	244
1.5918	17CrNi6		222	230	286
1.5920	18CrNi8		279	289	360
1.6522	20NiCrMo2		112	116	144
1.6540	23MnNiCrMo53		152	158	196
1.6541	23MnNiCrMo52		120	124	155
1.6566	17NiCrMo6		213	221	275
1.6580	30CrNiMo8		352	365	454
1.6582	34CrNiMo6	225	252	261	325
1.6587	18CrNiMo7-6	243	273	283	352
1.6758	23MnNiMoCr54		227	235	293
1.7015	15Cr3		9	9	12
1.7016	17Cr3		14	15	18
1.7027	20Cr4		17	18	22
1.7033	34Cr4(S4)		17	18	22
1.7035	41Cr4(S4)		17	18	22
1.7076	32CrB4		17	18	22
1.7077	36CrB4		17	18	22
1.7102	54SiCr6		26	27	34
1.7131	16MnCr5(S5)		16	17	21
1.7147	20MnCr5(S5)		19	20	25
1.7160	16MnCrB5		16	17	21
1.7176	55Cr3		14	15	18
1.7182	27MnCrB5/35KBW		8	8	10
1.7185	33MnCrB5		8	8	10

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.7218	25CrMoS4		55	57	71
1.7220	34CrMoS4		55	57	71
1.7225	42CrMo4	49	55	57	71
1.7227	42CrMoS4	49	55	57	71
1.7228	50CrMo4		55	57	71
1.7321	20MoCr4		82	85	106
1.7325	25MoCr4		83	86	107
1.7335	13CrMo4-5		97	101	125
1.7380	10CrMo9-10		200	207	258
1.7701	52CrMoV4		64	66	83
1.7707	30CrMoV9		134	139	173
1.8153	60SiCrV7		34	35	44
1.8159	51CrV4, 50CrV4		27	28	35
1.8161	58CrV4		26	27	34
1.8519	31CrMoV9		81	84	104
	18NiCrMo5		213	221	275
	21NiCrMo5		213	221	275
	40NiCrMo7		280	290	361
	39NiCrMo3		159	165	205
	20CrNi4		147	152	190
	16NiCrS4		147	152	190
	EN 355		314	326	405
	TL 1356		1	1	1
	TL 1427		10	10	13
	TL 1438		10	10	13
	TL 4221		17	18	22
	TL 4227		18	19	23
	TL 4521		285	296	368
	TL4521MOD		337	349	435
	V2905		6	6	8
	V2906		6	6	8
	ZF1		222	230	286
	ZF1A		273	283	352
	ZF6		16	17	21
	ZF50	1	1	1	1
	ZF59		15	16	19
	ZF60M		1	1	1
	ZF7		19	20	25
	ZF7B		19	20	25
	4130 Mod		88	91	114
	4140		55	57	71
	C15F+Svk		12	12	15
	30Cr2V		130	135	168

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	38Cr2V		108	112	139
	817M40-TZM		228	236	294
	605M36		40	41	52
	60SiCr8		25	26	32
	709M40		75	78	97
	C50E26C		7	7	9
	C50E83C		32	33	41
	4319		269	279	347
	8219		85	88	110
	8319		98	102	126
	S53		12	12	15
	50S2		19	20	25
	WSTE 355+CE	1	1	1	1
	42CrMo4 Mod	107			
	42CrMo4-NIC	107			
	E.R9.3	2			
	E.R8.3	2			
	BR	1			
	CLASS C	1			
	MK-J2		51	53	66
	CQ35		1	1	1
	SAE 1548mod		6	6	8

Přirážky za legury

PROSINEC 2014 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		1	1	1
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		1	1	1
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		1	1	1
1.0460	P250GH/C22.8		1	1	1
1.0501	C35E		1	1	1
1.0546	S355NL	1	1	1	1
1.0553	S355J0	1	1	1	1
1.0566	T STE 355		1	1	1
1.0569	QSt52-3		1	1	1
1.0577	S355J2	1	1	1	1
1.0580	E355		1	1	1
1.0715	11SMN30		1	1	1
1.0726	35S20		1	1	1
1.0727	46S20		1	1	1
1.0762	44SMn28		1	1	1
1.1141	C15E		0	0	0
1.1157	EA1K	1	1	1	1
1.1173	30Mn5		1	1	1
1.1180	C35 RCR	1	1	1	1
1.1191	C45E	1	1	1	1
1.1191	ER7CAFMOD1	1	1	1	1
1.1191	ER73CAF	1	1	1	1
1.1191	R73	1	1	1	1
1.1191	R73CAF	1	1	1	1
1.1191	R6	1			
1.1191	R7	1			
1.1193	Cf45		1	1	1
1.1201	C45R		1	1	1
1.1203	ER8CAF	2			
1.1203	C55		1	1	1
1.1203	R8	2			
1.1206	ER7CAF	1	1	1	1
1.1213	CF53/CF53X10		3	3	4
1.1213	CF53X20		3	3	4
1.1221	C60E		1	1	1

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1221	CLASS B	1	1	1	1
1.1231	CR-CAF	1	1	1	1
1.1302	30MnVS6		10	10	13
1.1303	38MnVS6		10	10	13
1.2208	31CrV2 (31CrV3)		29	30	37
1.3505	100Cr6		33	34	43
1.3520	100CrMnSi6-4		41	43	53
1.3531	16CrNiMo6		249	258	321
1.3537	100CrMo7		60	62	77
1.5023	38Si7		19	20	25
1.5122	37MnSi5		15	16	19
1.5217	20MnV6		10	10	13
1.5231	38MnSiVS5		15	16	19
1.5232	27MnSiVS6		15	16	19
1.5415	16Mo3 (15Mo3)		41	43	53
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		4	4	5
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		393	408	507
1.5810	18NiCr5-4		175	181	226
1.5918	17CrNi6		207	215	267
1.5920	18CrNi8		260	270	335
1.6522	20NiCrMo2		100	104	129
1.6540	23MnNiCrMo53		137	142	177
1.6541	23MnNiCrMo52		107	111	138
1.6566	17NiCrMo6		200	207	258
1.6580	30CrNiMo8		321	333	414
1.6582	34CrNiMo6	205	230	239	297
1.6587	18CrNiMo7-6	221	249	258	321
1.6758	23MnNiMoCr54		201	208	259
1.7015	15Cr3		9	9	12
1.7016	17Cr3		14	15	18
1.7027	20Cr4		17	18	22
1.7033	34Cr4(S4)		17	18	22
1.7035	41Cr4(S4)		17	18	22
1.7076	32CrB4		17	18	22
1.7077	36CrB4		17	18	22
1.7102	54SiCr6		26	27	34
1.7131	16MnCr5(S5)		16	17	21
1.7147	20MnCr5(S5)		19	20	25
1.7160	16MnCrB5		16	17	21
1.7176	55Cr3		14	15	18

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.7182	27MnCrB5/35KBW		8	8	10
1.7185	33MnCrB5		8	8	10
1.7218	25CrMoS4		48	50	62
1.7220	34CrMoS4		48	50	62
1.7225	42CrMo4	43	48	50	62
1.7227	42CrMoS4	43	48	50	62
1.7228	50CrMo4		48	50	62
1.7321	20MoCr4		69	72	89
1.7325	25MoCr4		70	73	90
1.7335	13CrMo4-5		83	86	107
1.7380	10CrMo9-10		171	177	221
1.7701	52CrMoV4		57	59	74
1.7707	30CrMoV9		125	130	161
1.8153	60SiCrV7		34	35	44
1.8159	51CrV4, 50CrV4		28	29	36
1.8161	58CrV4		26	27	34
1.8519	31CrMoV9		76	79	98
	18NiCrMo5		200	207	258
	21NiCrMo5		200	207	258
	40NiCrMo7		264	274	341
	39NiCrMo3		150	156	194
	20CrNi4		141	146	182
	16NiCrS4		141	146	182
	EN 355		297	308	383
	TL 1356		1	1	1
	TL 1427		10	10	13
	TL 1438		10	10	13
	TL 4221		17	18	22
	TL 4227		18	19	23
	TL 4521		256	265	330
	TL4521MOD		308	319	397
	V2905		6	6	8
	V2906		6	6	8
	ZF1		207	215	267
	ZF1A		249	258	321
	ZF6		16	17	21
	ZF50	1	1	1	1
	ZF59		16	17	21
	ZF60M		1	1	1
	ZF7		19	20	25
	ZF7B		19	20	25
	4130 Mod		83	86	107

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	4140		48	50	62
	C15F+Svk		12	12	15
	30Cr2V		128	133	165
	38Cr2V		106	110	137
	817M40-TZM		215	223	277
	605M36		36	37	46
	60SiCr8		26	27	34
	709M40		69	72	89
	C50E26C		7	7	9
	C50E83C		32	33	41
	4319		252	261	325
	8219		80	83	103
	8319		92	95	119
	S53		12	12	15
	50S2		19	20	25
	WSTE 355+CE	1	1	1	1
	42CrMo4 Mod	95			
	42CrMo4-NIC	95			
	E.R9.3	2			
	E.R8.3	2			
	BR	1			
	CLASS C	1			
	MK-J2		49	51	63
	CQ35		1	1	1
	SAE 1548mod		6	6	8